

## Carver 570 Voyager Pilothouse

Price: \$359,500



### Builder/Designer

Year: 2001  
Builder:  
Designer:  
Construction: GRP

### Engine

No. of Engines: 2  
Make: Volvo Penta  
Model: TAM74P  
Year: 2001  
Fuel Type: Diesel  
Hours: 1250  
Propeller Type:

### Dimensions

Length:  
Beam: 15' 4"  
Min Draft: 0  
Max Draft: 4' 9"  
Displacement: 0  
Ballast: 0

### Tanks

Water: 1 x 200 gallons  
Fuel: 1 x 800 gallons  
Holding: 1 x 100 gallons

### Location

Knoxville, United States

## SPECIFICATION AND INVENTORY

"La Bella Donna" is a cared for 570 Voyager awaiting new owners for coastal cruising or simply rafting out with friends and family! She has had major upgrades on all facets. She was a freshwater boat from 2001 to 2010 and has been back in freshwater since '15. TRADES WELCOME - ON NAVIGABLE WATERS

### Notes:

- Bottom paint was done in 12/15
- Buff & wax is in process
- NEW swim platform teak installed over the winter (real teak)
- All bridge upholstery redone in 2016 with higher grade fabric & pinstriping
- Batteries within two years
- New bridge refrigerator 2017
- Oil & filters done all around 2018
- Three underwater LEDS (B/W) were installed at the end of 2015
- Galley refrigerator replace 2017 with stack unit, stainless
- Custom SCREENS made for the salon windows (owners intended to go back south and to Bahamas, wanted to combat the heat) 2015
- Screens & blackout canvas made for PH windshield 2015
- AC Pumps/Water Pumps/Bilge Pumps and random hoses replaced since purchase
- Carpet redone interior 2013
- Both engine exhaust elbows replaced 2016

### ADDITIONAL INFORMATION

#### Salon

- 110V outlets (3) - GFCI protected
- AC and DC distribution panels
- Designer Chairs (2)
- Carpet - New 2014
- Designer curtain - décor-matched, over entrance door
- Entertainment group - New Flatscreen TVs (2017) DVD player, Bose Stereo Speakers
- Entrance door - stainless steel frame, curved, sliding, 45" x 72w, handle lock, deadbolt, neutral density glass, with interior screen
- Hardware highlights - brass/chrome, New roller wheels (2014)
- Lights (8) - courtesy, over side windows, recessed
- Lights (13) - halogen, overhead, recessed, with electronic dimmer controls
- Lounge - UltraLeather, Storage below
- Miniblinds - Decor matched wood
- Rocker light switches
- Table - Designer glass with storage and two roll out swivel stools
- Telephone connector

#### Galley

- 110V outlet - GFCI protected
- Coffee maker
- Trash Compactor
- Flooring - wood plank
- Freezer
- Hardware highlights - brass/chrome
- Lights (2) - halogen, over range, recessed
- Lights (3) - halogen, overhead, recessed
- Microwave/convection oven - built-in
- Oven - electric
- Range - electric, three-burner, Ceran top
- Range vent
- Refrigerator

- Rocker light switches
- Sink - two basin, integral, with solid surface covers
- Snack bar
- Solid surface countertops and backsplash
- Stainless steel backsplash around range
- Storage - under sink
- Storage drawers (12)
- Storage cabinets (3)
- Towel bar - brass
- Towel rings (2)

#### Companionway to Stateroom Level

- 110V outlet - GFCI protected
- Alcove - Turtle Sculpture with halogen, overhead, recessed light
- Carpet - New (2014)
- Hand rails (3) - 17? stainless steel, on stairway
- Lights (8) - courtesy, recessed
- Light - halogen, overhead, recessed
- Portlight - screened
- Rocker light switches

#### Master Stateroom

- 110V outlets (3) - GFCI protected
- Bedside end tables (2) - solid surface tops
- Berth - oversized queen, inner-spring mattress, island
- Carpet - New (2014)
- Dresser - integral, solid surface top, 5 drawers
- Entrance door - pocket-style, secures open and closed
- Fresh air system - passive, with 5 controllable overhead vents
- Hanging lockers (3) - cedar-lined, carpeted, 24? hanging bar, overhead shelf, automatic light
- Hardware highlights - brass/chrome
- New Flatscreen TV (2014)
- Lights (2) - directable reading sconces
- Lights (6) - halogen, overhead, recessed
- Lights (2) - halogen, over berth head, recessed
- Lights (2) - halogen, over dresser, recessed
- Miniblinds - dÉcor-matched
- Mirror on aft bulkhead
- Mirror over berth head
- Portlights (2) - screened
- Rocker light switches
- Step-up on each side of berth - carpeted
- Solid surface countertops
- Storage cabinets (5)
- Storage drawers (5)
- Telephone connector

#### Master Head

- Hardware highlights - brass/chrome
- Rocker light switches
- Towel sets (4) - bath towel, hand towel, and washcloth

#### Vanity Dais

- 110V outlets (2) - GFCI protected
- Lights (5) - halogen, overhead, recessed
- Medicine cabinets (2) - 3 shelves each
- Soap dish - wall-mounted, solid glass
- Towel rings (2)
- Vanity - solid surface top and backsplash with integral sink, 2 shelves below with 2 doors

#### Water Closet

- Entrance door - secures closed, stainless steel hardware, cherry wood with frosted glass
- Head fan
- Light - halogen, overhead, recessed
- Portlight - screened, privacy glass
- Toilet - Vacu flush, pedestal
- Toilet paper holder

#### Shower / Tub Stall

- Designer shower curtain
- Designer waterfall tub spigot
- Entrance door - secures closed, stainless steel hardware, cherry wood with frosted glass and modified Queen Ann grill
- Hand shower - retractable, wall-mounted holding bracket
- Lights (2) - halogen, overhead, recessed
- Portlight - screened, privacy glass
- Towel bar - 20"

#### VIP Stateroom

- 110V outlets (2) - GFCI protected
- Berth - oversized queen
- Carpet - New (2014)
- Clothes hooks (2) - chrome, on door to head
- Designer curtains - décor-matched
- Entrance door - secures open and closed, stainless steel hardware
- Hanging locker - full-height, cedar-lined, 9" swivel hanging bar, automatic light, shared with third stateroom
- Hanging locker - carpeted, 9" swivel hanging bar, 2 side shelves, automatic light
- Hardware highlights - brass/chrome
- Lights (2) - directable reading, recessed
- Lights (6) - halogen, overhead, recessed
- Mirrored headboard
- Overhead hatch - circular, 20.5" diameter, lockable, inside screen, over berth
- Portlights (4) - screened
- Private guest head access
- Rocker light switches
- Solid surface countertops
- Storage drawers (2)
- Telephone connector
- New Flatscreen TV (2014)

#### Guest Head

- 110V outlet - GFCI protected
- Clothes hooks (2)
- Entrance doors (2) - one to guest stateroom and one to companionway, secure closed, stainless steel hardware
- Hardware highlights - brass/chrome
- Head fan
- Lights (2) - halogen, overhead, recessed
- Lights (2) - halogen, over vanity, recessed
- Medicine cabinet - mirrored, 3 shelves
- Mirrored ceiling over vanity
- Rocker light switches
- Soap dish - wall-mounted, solid glass
- Toilet - electric flush, pedestal
- Toilet paper holder
- Towel ring
- Vanity - solid surface top and backsplash with integral sink, 2 shelves below with 2 doors

#### Shower Stall

- Bench seat - integral
- Entrance door - bi-fold, translucent textured glass in aluminum frame, secures open
- Light - halogen, overhead, recessed

- Portlight - screened, privacy glass
- Shower head - adjustable height, detachable for use as hand shower
- Towel bar - 20"

#### Third Stateroom

- 110V outlet - GFCI protected
- Bedside end table - solid surface top, cabinet below with 2 shelves
- Berths - 86" x 30" upper bunk, 82" x 30" lower bunk
- Carpet - New (2014)
- Designer curtains - décor-matched
- Entrance door - secures open and closed
- Hanging locker - shared with guest stateroom
- Lights (2) - directable reading sconces
- Lights (3) - halogen, overhead, recessed
- Portlight - screened
- Rocker light switches
- Storage drawer - under lower bunk

#### Construction

- Structural engine mountings - longitudinal stringer span mounting with reinforced, double-gusseted angle steel plates
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, and cabintops
- Molded fiberglass stringer system
- Cherry wood bulkheads, cabinetry, and trim throughout cabin, with high gloss finish
- Solid fiberglass hull bottoms with Knytex substrates and Vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck, cockpit, and cabintop construction with integral aluminum truss reinforcement in cabintop structure

#### Boarding Platform

- 65 ft<sup>2</sup> (approx.), integral to hull and deck
- Boarding ladder - retractable, telescoping, with grab rail, concealed in boarding platform
- Hand rails - 30" stainless steel port and starboard transom
- Lockers (2) - in-deck, self-draining
- Lockers (2) - transom, for stowing shore water hoses and shore power lines
- Flexiteak surface

#### Side Decks

- Bow rail - 1.25" O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships and forward
- Bow rail stanchions - double-welded (inside and outside), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats (4) - 10" spring, stainless steel, with chafe plates, through-bolted through aluminum backing plate
- Deck toe rail
- Grab rail - stainless steel, over cabin windows, running length of cabin and above windshields
- Pilothouse door - starboard side deck, sliding, 11" stainless steel grab handle
- Rail gate - starboard side
- Rub rail molding - heavy-duty, stainless steel insert

#### Foredeck

- Bow lockers - twin, self-draining for fender storage and anchor chain locker access
- Cleats (2) - 12" stainless steel with chafe plates, through bolted through aluminum backing plate
- Cleat - 12" stainless steel for anchor line, through-bolted through aluminum backing plate
- Windshield weather covers - black mesh
- Sunpad with Covers

#### Cockpit

- 70 ft<sup>2</sup> (approx.), integral to hull and deck
- 110V outlet - GFCI protected
- Aft bridge extension ladder - stainless steel, with 43" hand rail, diamond pattern nonskid steps
- Bolsters - padded, across transom
- Cleats (2) - 12" stainless steel, through-bolted through aluminum backing plate, inboard-mounted with stainless steel hawse



#### pipes

- Grab rails (2) - 40? stainless steel, by side deck stairways
- Grab rail - 66? stainless steel, on top of transom
- Grab rail - 18? stainless steel, at top of aft bridge extension ladder
- Hatch - engine room access, 3? x 5?, guttered, watertight, supported by gas shocks
- Lights (4) - courtesy, recessed, with exterior-mounted switch
- Lights (2) - overhead, recessed, with exterior-mounted switch
- Overhead sun/weather protection - 73? from cabin toward stern
- Side deck stairways (2) - integral to deck
- Transom door - aluminum, stainless steel latch

#### Pilothouse

- 110V outlet - GFCI protected
- Beverage holders (4) - recessed, integrated
- Carpet - New (2014)
- Circuit breakers - for helm controls
- Command bridge access stairway
- Helm - wrap-around, aircraft-style
- Helm seat - UltraLeather, 6-way electrically adjustable
- Lights (6) - halogen, recessed, overhead
- Lounge - L-shaped, UltraLeather
- Night operations light - halogen, red illumination
- Overhead panel - 37? x 15? flush-mounted Garmin Touchscreen 5212 Plotter / Sounder / Video
- Side deck door - starboard, sliding
- Rocker light switches
- Telephone connector
- Windshield defoggers (3)
- Windshield wipers (3) - each with fresh water washer

#### Helm

- Access hatch - provides access to wiring below helm
- Accessory panel - for installing navigation equipment
- Adapter - 12V
- Beverage holders - recessed, integral
- Grab rail - stainless steel, on helm console
- Helm seat - adjustable
- Light - courtesy, recessed
- Telephone connector
- Tilt steering wheel
- Garmin Touchscreen GPS plotter / Sounder
- Raytheon Radar / Autopilot / VHF Radio
- Fusion Stereo W/ipod dock

#### Instrumentation

- Gauges - synchronizer, rudder angle, digital tachometer (1 per engine)
- Multi-gauges (1 per engine) - oil pressure, engine temperature, engine battery voltage, and fuel level
- Rocker switch controls

#### Command Bridge

- 110V outlet - GFCI protected
- Beverage holders - recessed, integral, self-draining
- Cooler - self-draining, 3 integral bottle holders, with double-hinged lid and support
- DC distribution panel - bridge 12V systems
- Electronics arch - custom aluminum with acrylic polyurethane surface coating and UV protection
- Electronics arch access plates (3) - corrosion-resistant polymer attached with noncorroding screws and waterproof sealant
- Entrance door - 66? x 23? weather-tight, secures closed, with 3 gas shocks provides access to pilothouse
- Hand rail - stainless steel, next to pilothouse entrance door
- Self-draining walk surface
- Hand rail - stainless steel, across front of cooler and wet bar
- Lights - courtesy, recessed

- Lights - halogen, overhead, recessed
- Lounge - double-wide, port side, swivel, electrically-driven
- Lounge - double-wide, starboard side, with storage below
- Lounge - U-shaped, port side, accommodates 7 adults, with storage below
- Safety gate - between bridge and aft bridge extension
- Seat covers
- Table
- Wet bar - self-draining with 2 sinks, preparation surface, Icemaker, and Fridge / Freezer below.
- Windshield - wraparound stainless steel frame

#### Safety & Navigation

- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets and covers with restraint straps
- Bilge blowers (12V)
- Bilge pumps (3) - 2000 gph each, automatic/manual operation
- CO detectors in salon and staterooms
- Engine alarms - temperature and oil pressure
- Fire suppression system - automatic, FE241 (FM200 in European Community)
- Fog bell - 8", stainless steel
- Galvanic isolator/zinc saver
- Horns - dual, air/electric (12V), trumpet
- Internal bonding system
- Isolation transformers on the internal shore power lines
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)
- Bronze valves for all underwater thru-hulls
- Compass - illuminated

#### Mechanical

- Dripless shaft logs with spare seals
- Exhaust mufflers - engines
- Exhaust muffler - generator
- Fresh water cooling - engines
- Fresh water cooling - generator
- Fuel tanks - welded, baffled 5052 aluminum
- Hydraulic steering
- Propellers
- Propeller shafts - aquamet
- Rudders - 421 manganese bronze
- Seawater strainers
- Cutlass bearings - synthetic rubber composite
- Struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

#### Electrical

- AC/DC distribution panels with magnetic circuit breakers and integral generator and bilge blower controls; AC and DC voltmeters; AC and DC ammeters
- Batteries (5) - deep cycle, marine (12V)
- Battery chargers (3) - electronic, AC-DC converters
- External connectors - CATV, telephone
- Generator - 10.0 kW, diesel
- Ground Fault Circuit Interrupt (GFCI) protection - all 110V outlets
- Inverter
- Shore power connector - 50 amp
- Shore power cord - 50 ft.
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

#### Water & Waste Systems

- Central drain system

- Fresh water system - pressurized (12V)
- Fresh water storage tanks (2) - polyethylene, 100 gallons each
- Grey water sump pump - automatic/manual operation
- Shore water connection with pressure-reduction valve
- Water and waste lines - constructed of molecularly cross-linked polyethylene
- Waste holding tanks (2) - with dockside pumpouts, 50 gallons each
- Water heater - 20 gallons (110V)

#### Engine Room

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides and stringers
- Hinged access ladder
- Diamond plate aluminum catwalk
- Insulation - acoustical and thermal, vinyl vapor barrier
- Lights - overhead, recessed, controls in cockpit

#### **CUSTOMCONTACTINFORMATION**

Please contact central listing agent, Scott Clements at (615) 364-5350 for more information or to schedule a showing. TYS is the closest major airport offering Allegiant, American Eagle, Delta, Frontier, United, and US Airways. FBO is TAC Air. . Monroe County Airport (KMNV) is the closest private airport. Curbside pickup available, please call ahead. BNA (Nashville) is a short 2.5hr drive away & CHA (Chattanooga) is only 1.5hr away!

For more information, call or email Central Listing Agent Scott Clements at (615) 364-5350.